

## Connecting to Web Camera The University of Southern Mississippi

1. Inside the Remote Connection window, open Internet Explorer.
2. In the address bar, as shown below, enter the IP address.




3. In the box titled "Connect to ...", enter the User name and the Password. If you prefer to not re-enter this information, select the option 'Remember my password'.



4. A window should load that looks similar to the following screen shot. Select the Single tab, as circled below in red.




5. A new window *may* appear similar to the following. If not, go directly to step 9.




6. Click inside the white square to install the ActiveX control.
7. When prompted, select "Install This Add-on for all Users on This Computer..."
8. Click Install in the Internet Explorer – Security Warning window:



9. A new window will appear similar to the following.



10. To save this site as a favorite, select Favorites > Add to Favorites... in the menu bar of the web browser.
11. To control the camera, use the tool bar located on the left of the screen. The camera has the ability to automatically scan (horizontally or vertically), manually scan (horizontally or vertically) or move to five preset areas. The image resolution and quality may also be changed.



The image shows a vertical toolbar for camera control. At the top, it has 'Pan / Tilt' controls with left and right arrows, and a 'Scan' button with up and down arrows. Below this is a circular directional pad with four arrows. Further down are 'Preset' and 'Program' tabs, followed by eight numbered buttons (1-8) and a 'Sensor' button. Below these are 'Brightness' controls with minus, 'STD', and plus buttons, and a 'Refresh Interval' dropdown menu currently set to 'Motion'. At the bottom are 'Resolution' and 'Image Quality' sections, each with three options: '640x480', '\* 320x240', and 'Favor Clarity' (for resolution) or 'Favor Motion' (for image quality). The '\* 320x240' option is highlighted with a red asterisk.

Annotations on the right side of the toolbar:

- A red arrow points from the 'Scan' button to a box labeled 'Automated scan'.
- A red arrow points from the circular directional pad to a box labeled 'Manual scan'.
- A red arrow points from the 'Preset' buttons to a box labeled 'Preset Positions:' containing a list:
  - 1 – Upper Left
  - 2 – Upper Right
  - 3 – Operator (Computer)
  - 4 – Door (Entrance)
  - 5 – Magnet (Instrument)